ernitec

Ernitec BUILD-ER400

4bay Tower survaliance server



- > supports up to 400 megapixel fps recording
- > Dual Gigabit network card
- > 4 Hot Swappable HDD bays
- > 1GB Video Adapter with VGA, DVI and HDMI outputs
- > Windows[®] OS installed on dedicated hard disk drive
- > 3 year Warranty

The Build-ER400 is a powerful line of surveillance recorders that are optimized to work with NVR Software for sensitive & long-term storage of IP/Megapixel cameras.

The Build-ER400 is engineered to optimize the way processor, memory, graphics, OS and software technology work together to deliver massive recording power

The Build-ER400 brings new standards to the marked with 93% efficient power supplies, new Intel® P67 chipset Technology architecture, new 2nd generation Intel® Core i Processors' with integrated memory controllers, to get maximum I/O bandwidth, USB 3.0, optical drives and up to 6Gbps per storage bays.

All systems have been tested between 24 to 72 hours together with more than 60 unique systems settings before leaving the assembling line to make sure that the system will run perfect 24 hours per day year after year.

The special Health hardware management software and the e-mail server notification give you early warnings if a problem is coming

www.ernitec.com

Customize options for the Build-ER survaliance server so if fits to your specifik needs.

All hard drives are Enterprice performance drives that are optimized for 24/7 sursurvaliance use. The hardware 8ch RAID controller supports 1.5, 3.0 and 6.0 Gb/s SAS and SATA data transfer rates on all channels and the professional graphics card renders pristine image quality on up to four DisplayPort monitors at resolutions up to 2560 x 1600 per output.

Storage	
Build-1TB-SATA-HDD	24/7 HDD SATA industrial 7200rpm
Build-2TB-SATA-HDD	24/7 HDD SATA industrial 7200rpm
Build-3TB-SATA-HDD	24/7 HDD SATA industrial 7200rpm
Build-1TB-SAS-HDD	24/7 HDD SAS, 7200rpm optimized for RAID controller
Build-2TB-SAS-HDD	24/7 HDD SAS, 7200rpm optimized for RAID controller
Build-3TB-SAS-HDD	24/7 HDD SAS, 7200rpm optimized for RAID controller
Build-300GB-SAS-15K-HDD	24/7 HDD SAS, 15000rpm optimized for RAID controller





Build-8ch-RAID-controller	8ch controller, 6 GB/s per port, 0,1,5,6,10,50,60 + hot spare
Build-RAID0-Setting	RAID config setting
Build-RAID1-Setting	RAID config setting
Build-RAID5-Setting	RAID config setting
Build-RAID10-Setting	RAID config setting
Build-RAID50-Setting	RAID config setting
Build-hotspare	RAID config setting

OS	
Build-Win7-64bit + 8GB RAM	OS and RAM upgrade option to 64bit and 4x2GB RAM
Build-Win2008-64bit + 8GB RAM	OS and RAM upgrade option to 64bit and 4x2GB RAM



CPU	
Build-CPU-Upgrade to 1200MP	INTEL Core I7-3770 3,1GHz LGA1154CPU
	upgrade option for Build-ER400 series
Graphic controller	
Build-ERC-4monitor	Graphic card for 4 monitors with 4 displayport or 4 DVI output

Technical Specification – Ernitec Build-ER400

Features		Power	
Recording frame rate at resolution 1280 x 720	Max. 400 / MJPEG	Fix PSU	500W high-efficiency power supplies with PMBus
System Hard drive with OS	1	Power requirements	100v -240V AC/50-60Hz/500W
Optisk drive DVD-rw		Management	1000 2100 110/50 00112/50000
Graphic controler	1GB - VGA, DVI, HDMI	_	ACDL / ACDM Desser Mass see to Main
Auto-rebooting after power failure Storage	(op to 2560x1600) Yes	Power Configurations	ACPI / ACPM Power Management, Mair Switch Override Mechanism, Wake-On- LAN (WOL) header, Keyboard Wakeup from Soft-Off, Power-on mode for AC
Storage interface	SATA / SAS with RAID controller option		power recovery
Storage inclded	- , · · · · · · · · · · · · · ·	Software	SuperDoctor III
Storage bays	4x 3,5" hotswap bays	Dimensions / Weights	
RAID controller upgrade	8ch controller, 6 GB/s per port,	Form Factor	Tower
option	0,1,5,6,10,50,60 + hot spare	Rack option	no
Storage hard drive options	-	Dimensions	427x178x531
OS support		(HxWxD mm)	72721702331
OS	Windows 7 ultimate 32bit	Weight	19,7KG
Upgrade option	Windows 7 ultimate 64bit with 8GB RAM	General	
Upgrade option	Windows 2008 R2 64bit with 8GB RAM	Languages	25 including : English, German, French,
CPU / Memory			Spanish, Dutch, Danish, Italian, Finnish
CPU	INTEL Core I5-3470 3,2GHz LGA1155 6MB	Operation conditions	Temperature range from +10°C to +35°C
CPU upgrade option	INTEL Core I7-3770 3,1GHz LGA1155	warranty	3 years
Memory	2x 2GB DDR3 1333MHz (4GB)	Included accessories	1x OPTICAL MOUSE BLACK/USB PS2, CAT6 2M GREY, CAT6 2M BLUE, Power Cord schuko 2M , Power 2M UK,
Memory Upgrade option	4x 2GB DDR3 1333MHz (8GB) with 64bit OS		
Cooling		Part number	Build-ER400
Fan type	1x 92mm Front Thermal Fan	i al c hamber	Duna Intro
Hot swap Fan	-		
On-Board Devices Keyboard / mouse	PS / 2 shared connector		
Chipset	Intel P67 Express chipset		
Audio	Realtek ALC889 7.1HD, Line-in / Line-		
	out / Microphone ports		
USB ports	2x USB 3.0 + 12x USB 2.0		
Network card	2x Gigabit LAN ports Supports 10BASE-T, 100BASE-TX, and 1000BASE-T, RJ45 output		
Embedded RAID Controler	Embedded Onboard RAID for system hard drive		
		DI	STRBUTED BY

CEFCC ROZENJOJ3